THEORETICAL AND APPLIED GENETICS

Vol. 74 1987

International Journal of Breeding Research and Cell Genetics

Editorial Board

Managing Editor: G. Wenzel, Grünbach

L. Alföldi, Szeged
J. S. F. Barker, Armidale
E. J. Eisen, Raleigh, NC
Yu. Gleba, Kiev
R. Hagemann, Halle/S.
A. R. Hallauer, Ames, IA
Hu Han, Peking
A. L. Kahler, Slater, IA
G. S. Khush, Manila
H. F. Linskens, Heidelberg
J. Mac Key, Uppsala
P. Maliga, Oakland, Calif
F. Mechelke, Stuttgart
G. Melchers, Tübingen
B. R. Murty, Caracas
P. L. Pfahler, Gainesville, Fla
I. Potrykus, Basel
R. Riley, F. R. S., Cambridge, UK
A. Robertson, F. R. S., Edinburgh
F. Salamini, Köln-Vogelsang
K. Sittmann, Montreal
H. Stubbe, Gatersleben
P. M. A. Tigerstedt, Helsinki
K. Tsunewaki, Kyoto
L. D. Van Vleck, Ithaca, NY

Springer International

International Journal of Breeding Research and Cell Genetics

Founded in 1929 under the title 'Der Züchter' as a German journal for theoretical and applied genetics; changed from a national journal devoted almost exclusively to plant breeding to an international periodical for genetics and breeding research under the same title 'Der Züchter' in 1966; in 1968 to 'Theoretical and Applied Genetics'; edited by H. Stubbe from 1946 to 1976

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $ 0.20 per page, or a minimum of US $ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Printed in Germany – © Springer-Verlag Berlin Heidelberg 1987 · Springer-Verlag GmbH & Co. KG, D-1000 Berlin 33 · Printers: Graphischer Betrieb Konrad Triltsch, D-8700 Würzburg

Table of contents

Abbott, A. G.: see Walker, N. H. et al., 531
Adam, D.; Simonsen, V.; Loeschcke, V.: Allozyme variation in rye, *Secale cereale* L. 2. Commercial varieties 560
Adams, M. W.: see Kelly, J. D. et al., 516
Aigeltinger, L.: see Bosnes, M. et al., 177
Albornoz, J.: see Domínguez, A. et al., 409
Aliaga-Morell, J. R.; Culiáñez-Maciá, F. A.; Clemente-Marin, G.; Primo-Yúfera, E.: Differentiation of rice varieties by electrophoresis of embryo protein 224
Alston, F. H.: see Manganaris, A. G., 154
Aniel Kumar, O.; Panda, R. C.; Raja Rao, K. G.: Cytogenetic studies of the F_1 hybrids of *Capsicum annuum* with *C. chinense* and *C. baccatum* 242
Appels, R.: see May, C. E., 617
Arcioni, S.; Pezzotti, M.; Damiani, F.: In vitro selection of alfalfa plants resistant to *Fusarium oxysporum* f. sp. *medicaginis* 700
Ariyo, O. J.: Stability of performance of okra as influenced by planting date 83
Ariyo, O. J.: Multivariate analysis and the choice of parents for hybridization in Okra (*Abelmoschus esculentus* (L.) Moench) 361
Armstrong, T. A.: see Deaton, W. R. et al., 334
Arreghini, E.: see Gavazzi, G. et al., 733
Arunachalam, V.: see Dutta, M. et al., 466
Ashraf, M.; Bassett, M. J.: Five primary trisomics from translocation heterozygote progenies in common bean, *Phaseolus vulgaris* L. 346
Attia, T.; Lelley, T.: Effects of constitutive heterochromatin and genotype on frequency and distribution of chiasmata in the seven individual rye bivalents 527

Bahrman, N.; Thiellement, H.: Parental genome expression in synthetic wheats (*Triticum turgidum* sp. × *T. tauschii* sp.) revealed by two-dimensional electrophoresis of seedling proteins 218
Bandyopadhyay, A.: see Dutta, M. et al., 466
Barbuzzi, G.: see Gavazzi, G. et al., 733
Bassett, M. J.: see Ashraf, M., 346
Bassett, M. J.: see Mackenzie, S. A., 642
Bastow Wilson, J.: Group selection in plant populations 493
Bates, G. W.; Hasenkampf, C. A.; Contolini, C. L.; Piastuch, W. C.: Asymmetric hybridization in *Nicotiana* by fusion of irradiated protoplasts 718
Batts, L. A.: see Earle, E. D. et al., 601
Beavis, W. D.; Pollak, E.; Frey, K. J.: A theoretical model for quantitatively inherited traits influenced by nuclear-cytoplasmic interactions 571
Beckmann, J. S.: see Soller, M., 369
Benslimane, A.: see Rode, A. et al., 31
Bernard, M.: see Bernard, S., 55
Bernard, S.; Bernard, M.: Creating new forms of 4x, 6x and 8x primary triticale associating both complete R and D genomes 55
Best, V. M.: see Earle, E. D. et al., 601
Biasini, M. G.: see Gavazzi, G. et al., 733
Biasini, M. G.: see Zheng, K. L. et al., 65
Biroli, A.: see Zheng, K. L. et al., 65
Blanco, A.; Simeone, R.; Resta, P.: The addition of *Dasypyrum villosum* (L.) Candargy chromosomes to *durum* wheat (*Triticum durum* Desf.) 328
Bondari, K.; Dunham, R. A.: Effects of inbreeding on economic traits of channel catfish 1
Borthakur, D. N.: see Gupta, H. S., 95
Bosnes, M.; Harris, E.; Aigeltinger, L.; Olsen, O.-A.: Morphology and ultrastructure of 11 barley shrunken endosperm mutants 177
Breiman, A.; Rotem-Abarbanell, D.; Karp, A.; Shaskin, H.: Heritable somaclonal variation in wild barley (*Hordeum spontaneum*) 104
Bridges, W. C. Jr.; Knapp, S. J.: Probabilities of negative estimates of genetic variances 269
Briquet, M.: see Mignouna, H. et al., 666
Busch-Petersen, E.; Pyrek, A.; Ripfel, J.: Viability and behaviour of translocations that suppress female recombination in the Mediterranean fruit fly, *Ceratitis capitata* (Wied.) 38

Cai Hongying: see Yan Yongshan et al., 247
Castiglione, S.: see Zheng, K. L. et al., 65
Chapman, G. P.: see Nicoll, M. F. et al., 508
Chawla, H. S.; Wenzel, G.: In vitro selection of barley and wheat for resistance against *Helminthosporium sativum* 841
Cheliak, W. M.: see Schoen, D. J., 554
Chenicek, K. J.; Hart, G. E.: Indentification and chromosomal locations of aconitase gene loci in Triticeae species 261
Chourrout, D.; Nakayama, I.: Chromosome studies of progenies of tetraploid female rainbow trout 687
Chowdhury, S.: see Kulshrestha, V. P., 275
Clayberg, C. D.: see Schaff, D. A. et al., 538
Clemente-Marin, G.: see Aliaga-Morell, J. R. et al., 224
Colaprico, G.: see Lafiandra, D. et al., 610
Contolini, C. L.: see Bates, G. W. et al., 718
Crispi, M. L.; Ullrich, S. E.; Nilan, R. A.: Investigation of partial sterility in advanced generation, sodium azide-induced lines of spring barley 402
Crouzillat, D.; Leroy, P.; Perrault, A.; Ledoigt, G.: Molecular analysis of the mitochondrial genome of *Helianthus annuus* in relation to cytoplasmic male sterility and phylogeny 773
Culiáñez-Maciá, F. A.: see Aliaga-Morell, J. R. et al., 224

Damerval, C.; Hébert, Y.; Vienne, D. de: Is the polymorphism of protein amounts related to phenotypic variability? A comparison of two-dimensional electrophoresis data with morphological traits in maize 194
Damiani, F.: see Arcioni, S. et al., 700
D'Antonio, V.: see Quiros, C. F. et al., 203
Datta, S. K.: Plant regeneration by pollen embryogenesis from cultured whole spikes of barley (*Hordeum vulgare*) 121
Deaton, W. R.; Metz, S. G.; Armstrong, T. A.; Mascia, P. N.: Genetic analysis of the anther-culture response of three spring wheat crosses 334
Dentine, M. R.; McDaniel, B. T.: Expected early genetic gain from selection for milk yield in dairy cattle 753
Desborough, S. L.: see Smith, J. A., 739
Dessaux, Y.: see Mouras, A. et al., 253
Devey, M. E.; Roose, M. L.: Genetic analysis of *Verticillium* wilt tolerance in cotton using pedigree data from three crosses 162

Dewey, R. E.: see Gwynn, B. et al., 781
Dickinson, H. G.: see Liu, X. C. et al., 846
Dolf, G.: see Roth, H.-R. et al., 42
Domínguez, A.; Albornoz, J.; Santiago, E.: Analysis of lethals in selected lines of *Drosophila melanogaster* 409
Dooner, H. K.: see Ralston, E. J. et al., 471
Douches, D.: see Quiros, C. F. et al., 203, 758
Dunham, R. A.: see Bondari, K., 1
Dunwell, J. M.; Francis, R. J.; Powell, W.: Anther culture of *Hordeum vulgare* L.: a genetic study of microspore callus production and differentiation 60
Dutta, M.; Arunachalam, V.; Bandyopadhyay, A.: Enhanced cross pollination to widen the scope of breeding in groundnut (*Arachis hypogaea* L.) 466

Eapen, S.: see Gill, R. et al., 100
Earle, E. D.; Gracen, V. E.; Best, V. M.; Batts, L. A.; Smith, M. E.: Fertile revertants from S-type male-sterile maize grown in vitro 601
Earle, E. D.: see Robertson, D. et al., 303
Eisen, E. J.: Selection for components related to body composition in mice: direct responses 793
Ellison, F. W.: see Ryan, S. A. et al., 77
English, J. J.: see Ralston, E. J. et al., 471
Engvild, K. C.: Nodulation and nitrogen fixation mutants of pea, *Pisum sativum* 711
Evans, L. E.: see Kibite, S., 625

Fatokun, C. A.: Wide hybridization in okra 483
Feldman, M.: see Felsenburg, T. et al., 802
Felsenburg, T.; Feldman, M.; Galun, E.: Aneuploid and alloplasmic lines as tools for the study of nuclear and cytoplasmic control of culture ability and regeneration of scutellar calli from common wheat 802
Fen Shang: see Yan Yongshan et al., 147
Fernandez, J. A.: see Sanchez-Monge, R. et al., 811
Francis, R. J.: see Dunwell, J. M. et al., 60
Frey, K. J.: see Beavis, W. D. et al., 571
Frey, K. J.: see Takeda, K., 659
Friebe, B.; Zeller, F. J.; Kunzmann, R.: Transfer of the 1BL/1RS wheat-rye-translocation from hexaploid bread wheat to tetraploid durum wheat 423
Fritzsche, K.; Metzlaff, M.; Melzer, R.; Hagemann, R.: Comparative restriction endonuclease analysis and molecular cloning of plastid DNAs from wild species and cultivated varieties of the genus *Beta* (L.) 589

Gadish, I.: see Zamir, D., 545
Galun, E.: see Felsenburg, T. et al., 802
Gavazzi, G.; Tonelli, G.; Todesco, G.; Arreghini, E.; Raffaldi, F.; Vecchio, F.; Barbuzzi, G.; Biasini, M. G.; Sala, F.: Somaclonal variation versus chemically induced mutagenesis in tomato (*Lycopersicon esculentum* L.) 733
Geiger, H. H.: see Melchinger, A. E. et al., 339
Genizi, A.: see Globerson, D. et al., 522
Gienapp, R.: see Wersuhn, G. et al., 480
Gill, R.; Eapen, S.; Rao, P. S.: Callus induction from protoplasts of *V. unguiculata, V. sublobata* and *V. mungo* 100
Gillies, C. B.: The effect of *Ph* gene alleles on synaptonemal complex formation in *Triticum aestivum* × *T. kotschyi* hybrids 430
Glaszmann, J. C.: Isozymes and classification of Asian rice varieties 21
Glaz, B.: see Kang, M. S. et al., 310
Gleba, Y. Y.: see Sidorov, V. A. et al., 364
Globerson, D.; Genizi, A.; Staub, J. E.: Inheritance of seed weight in *Cucumis sativus* (L.) var. *sativus* and var. *hardwickii* (Royle) Kitamura 522
Gorham, J.; Hardy, C.; Wyn Jones, R. G.; Joppa, L. R.; Law, C. N.: Chromosomal location of a K/Na discrimination character in the D genome of wheat 584
Gracen, V. E.: see Earle, E. D. et al., 601
Grégoire, S.: see Picard, E. et al., 289
Gregorius, H.-R.: The relationship between the concepts of genetic diversity and differentiation 397
Gupta, H. S.; Borthakur, D. N.: Improved rate of callus induction from rice anther culture following microscopic staging of microspores in iron alum-haematoxylin 95
Gupta, R. B.; Shepherd, K. W.: Interaction between genes controlling a new group of glutenin subunits in bread wheat 459
Gwynn, B.; Dewey, R. E.; Sederoff, R. R.; Timothy, D. H.; Levings III, C. S.: Sequence of the 18S-5S ribosomal gene region and the cytochrome oxidase II gene from mtDNA of *Zea diploperennis* 781

Hagemann, R.: see Fritzsche, K. et al., 589
Hague, L. M.; Jones, R. N.: Cytogenetics of *Lolium perenne*. 4. Colchicine induced variation in diploids 233
Hanhart, C. J.: see Koornneef, M. et al., 633
Hardy, C.: see Gorham, J. et al., 584
Harris, E.: see Bosnes, M. et al., 177
Hart, G. E.: see Chenicek, K. J., 261
Hartmann, C.: see Rode, A. et al., 31
Harvey, B. L.: see Ye, J. M. et al., 426
Hasenkampf, C. A.: see Bates, G. W. et al., 718
Hayashi, Y.: see Ogura, H. et al., 670
Hébert, Y.: see Damerval, C. et al., 194
Hedgcoth, C.: see Singh, B. B. et al., 168
Hei Leung: see Landry, B. S. et al., 646
Hermsen, J. G. Th.: see Uijtewaal, B. A. et al., 451
Higgins, P.; Mathias, R. J.: The effect of the 4B chromosomes of hexaploid wheat on the growth and regeneration of callus cultures 439
Hours, C.: see Picard, E. et al., 289
Hymowitz, T.: see Singh, R. J. et al., 391

Ichikawa, H.; Tanno-Suenaga, L.; Imamura, J.: Selection of *Daucus* cybrids based on metabolic complementation between X-irradiated *D. capillifolius* and iodoacetamide-treated *D. carota* by somatic cell fusion 746
Imamura, J.; Saul, M. W.; Potrykus, I.: X-ray irradiation promoted asymmetric somatic hybridisation and molecular analysis of the products 445
Imamura, J.: see Ichikawa, H. et al., 746

Jacobsen, E.: see Uijtewaal, B. A. et al., 451
Jain, S.: see Kesseli, R., 379
Jain, S.: see Kulakow, P., 113
James, D. J.: see Nicoll, M. F. et al., 508
Janse, J.: Male transmission of the translocated chromosome in a tertiary trisomic of rye: genetic variation and relation to the rate of development of aneuploid pollen grains 317
Jones, K.: see Liu, X. C. et al., 846
Jones, M. G. K.: see Karp, A. et al., 140
Jones, R. N.: see Hague, L. M., 233
Joppa, L.R.: see Gorham, J. et al., 584

Kang, M. S.; Glaz, B.; Miller, J. D.: Interrelationships among stabilities of important agronomic traits in sugarcane 310
Kao, K. N.: see Ye, J. M. et al., 426
Karp, A.; Wu, Q. S.; Steele, S. H.; Jones, M. G. K.: Chromosome variation in dividing protoplasts and cell suspensions of wheat 140
Karp, A.: see Breiman, A. et al., 104
Kasarda, D. D.: see Lafiandra, D. et al., 610
Kelly, J. D.; Adams, M. W.; Varner, G. V.: Yield stability of determinate and indeterminate dry bean cultivars 516
Kesseli, R.; Jain, S.: Origin of gynodioecy in *Limnanthes:* evidence from ecogeographic patterns of variation 379
Kesseli, R.: see Landry, B. S. et al., 646
Kianian, S. F.: see Quiros, C. F. et al., 758
Kibite, S.; Evans, L. E.: Effect of population structure on protein-yield improvements in spring wheat (*Triticum aestivum* L. em Thell) 625
King, J.: see Xiao, W. et al., 417
Kirsch, K.: see Wersuhn, G. et al., 480
Kleinhofs, A.: see Warner, R. L. et al., 714
Knapp, S. J.: see Bridges, W. C. Jr., 269
Ko, K.; Orfanides, A. G.; Straus, N. A.: A model for the evolution of the *Vicia faba* chloroplast genome 125
Koba, T.: see Ogura, H. et al., 670
Kobayashi, S.: Uniformity of plants regenerated from orange (*Citrus sinensis* Osb.) protoplasts 10
Koebner, R. M. D.: Genetic control of dipeptidase in the Triticeae 387
Kollipara, K. P.: see Singh, R. J. et al., 391
Komarnitsky, I. K.: see Sidorov, V. A. et al., 364
Koornneef, M.; Hanhart, C. J.; Martinelli, L.: A genetic analysis of cell culture traits in tomato 633
Kuchko, A. A.: see Sidorov, V. A. et al., 364
Kulakow, P.; Jain, S.: Genetics of grain amaranths. 4. Variation and early generation reponse to selection in *Amaranthus cruentus* L. 113
Kulshrestha, V. P.; Chowdhury, S.: A new selection criterion for yield in wheat 275
Kumar, D.; Sarkar, K. R.: Genetic structure of the *R-Navajo* allele in maize, *Zea mays* L. 476
Kunzmann, R.: see Friebe, B. et al., 423
Kyle, M. M.; Provvidenti; R.: Inheritance of resistance to potato y viruses in *Phaseolus vulgaris* L. 1. Two independent genes for resistance to watermelon mosaic virus-2 595
Kyozuka, J.: see Ogura, H. et al., 670

Lafiandra, D.; Colaprico, G.; Kasarda, D. D.; Porceddu, E.: Null alleles for gliadin blocks in bread and durum wheat cultivars 610
Landry, B. S.; Kesseli, R.; Hei Leung; Michelmore, R. W.: Comparison of restriction endonucleases and sources of probes for their efficiency in detecting restriction fragment length polymorphisms in lettuce (*Lactuca sativa* L.) 646
Larkin, P. J.: see Ryan, S. A. et al., 77
Law, C. N.: see Gorham, J. et al., 584
Leach, C. R.: see Mayo, O., 789
Ledoigt, G.: see Crouzillat, D. et al., 773
Lehväslaiho, H.; Saura, A.; Lokki, J.: Chloroplast DNA variation in the grass tribe Festuceae 298
Lelley, T.: see Attia, T., 527
Leroy, P.: see Crouzillat, D. et al., 773
Levings III, C. S.: see Gwynn, B. et al., 781
Liu Lianrui: see Yan Yongshan et al., 147
Liu, X. C.; Jones, K.; Dickinson, H. G.: DNA synthesis and cytoplasmic differentiation in tapetal cells of normal and cytoplasmically male sterile lines of *Petunia hybrida* 846
Loeschcke, V.: see Adam, D. et al., 560
Lokki, J.: see Lehväslaiho, H. et al., 298

Mackenzie, S. A.; Bassett, M. J.: Genetics of fertility restoration in cytoplasmic male sterile *Phaseolus vulgaris* L. 1. Cytoplasmic alteration by a nuclear restorer gene 642
MacNeil, M. D.: Formation of optimal composite populations 837
Manganaris, A. G.; Alston, F. H.: Inheritance and linkage relationships of glutamate oxaloacetate transaminase isoenzymes in apple. 1. The gene *GOT-1*, a marker for the *S* incompatibility locus 154
Marais, G. F.; Westhuizen, M. S. S. van der: Hybrid seed development and viability in crosses of *T. aestivum* (cv. Chinese Spring) monosomic lines with *S. cereale* 503
Marchais, L.: see Tostain, S. et al., 188
Martinelli, L.: see Koornneef, M. et al., 633
Mascia, P. N.: see Deaton, W. R. et al., 334
Mathias, R. J.: see Higgins, P., 439
May, C. E.; Appels, R.: Variability and genetics of spacer DNA sequences between the ribosomal-RNA genes of hexaploid wheat (*Triticum aestivum*) 617
Mayo, O.; Leach, C. R.: Stability of self-incompatibility systems 789
McDaniel, B. T.: see Dentine, M. R., 753
McHughen, A.: Salt tolerance through increased vigor in a flax line (STS-ll) selected for salt tolerance in vitro 727
Melchinger, A. E.; Geiger, H. H.; Seitz, G.; Schmidt, G. A.: Optimum prediction of three-way crosses from single crosses in forage maize (*Zea mays* L.) 339
Melz, G.: see Schlegel, R. et al., 820
Melzer, R.: see Fritzsche, K. et al., 589
Metz, S. G.: see Deaton, W. R. et al., 334
Metzlaff, M.: see Fritzsche, K. et al., 589
Meunier, J. P.: see Picard, E. et al., 289
Michelmore, R. W.: see Landry, B. S. et al., 646
Mignouna, H.; Virmani, S. S.; Briquet, M.: Mitochondrial DNA modifications associated with cytoplasmic male sterility in rice 666
Miller, J. D.: see Kang, M. S. et al., 310
Miller, T. E.; Reader, S. M.: A guide to the homoeology of chromosomes within the *Triticeae* 214
Millet, E.: Monosomic analysis of heading date and spikelet number in the common wheat (*Triticum aestivum* L.) multispikelet line 'Noa' 487
Milliken, G. A.: see Schaff, D. A. et al., 538
Morandi, C.: see Zheng, K. L. et al., 65
Mouras, A.; Negrutiu, I.; Dessaux, Y.: Phenotypic and genetic variations in crown-gall tumour cells of tobacco 253
Mukherjee, K. K.: see Sardar, A. K., 171
Mutschler, M. A.: see Robertson, D. et al., 303

Nakayama, I.: see Chourrout, D., 687
Narayanan, K. R.: see Warner, R. L. et al., 714
Negrutiu, I.: see Mouras, A. et al., 253
Nestrowicz, R.: see Schlegel, R. et al., 820
Nevo, E.; Payne, P. I.: Wheat storage proteins: diversity of HMW glutenin subunits in wild emmer from Israel. 1. Geographical patterns and ecological predictability 827
Nicoll, M. F.; Chapman, G. P.; James, D. J.: Endosperm responses to irradiated pollen in apples 508
Nilan, R. A.: see Crispi, M. L. et al., 402

Ochoa, O.: see Quiros, C. F. et al., 758
Ockendon, D. J.; Sutherland, R. A.: Genetic and non-genetic factors affecting anther culture of Brussels sprouts (*Brassica oleracea* var. *gemmifera*) 566
Ogura, H.; Kyozuka, J.; Hayashi, Y.; Koba, T.; Shimamoto, K.: Field performance and cytology of protoplast-derived rice (*Oryza sativa*): high yield and low degree of variation of four japonica cultivars 670
Olsen, O.-A.: see Bosnes, M. et al., 177
Ombakho, G. A.; Tyagi, A. P.; Pathak, R. S.: Inheritance of resistance to the cowpea aphid in cowpea 817
Orfanides, A. G.: see Ko, K. et al., 125
Østergård, H.: Estimating relative fitness in asexually reproducing plant pathogen populations 87
Ozias-Akins, P.; Pring, D. R.; Vasil, I. K.: Rearrangements in the mitochondrial genome of somatic hybrid cell lines of *Pennisetum americanum* (L.) K. Schum. + *Panicum maximum* Jacq. 15

Palmer, J. D.: see Robertson, D. et al., 303
Panda, R. C.: see Aniel Kumar, O. et al., 242
Pathak, R. S.: see Ombakho, G. A. et al., 817
Payne, P. I.: see Nevo, E., 827
Payne, P. I.: see Waines, J. G., 71
Pérez de la Vega, M.: see Rebordinos, L., 767
Perrault, A.: see Crouzillat, D. et al., 773
Petolino, J. F.; Thompson, S. A.: Genetic analysis of anther culture reponse in maize 284
Pezzotti, M.: see Arcioni, S. et al., 700
Phan, T. H.: see Picard, E. et al., 289
Piastuch, W. C.: see Bates, G. W. et al., 718
Picard, E.; Hours, C.; Grégoire, S.; Phan, T. H.; Meunier, J. P.: Significant improvement of androgenetic haploid and doubled haploid induction from wheat plants treated with a chemical hybridization agent 289
Picard, E.: see Rode, A. et al., 31
Pollak, E.: see Beavis, W. D. et al., 571
Porceddu, E.: see Lafiandra, D. et al., 610
Posthumus, E.: see Uijtewaal, B. A. et al., 451
Potrykus, I.: see Imamura, J. et al., 445
Powell, W.: see Dunwell, J. M. et al., 60
Primo-Yúfera, E.: see Aliaga-Morell, J. R. et al., 224
Pring, D. R.: see Ozias-Akins, P. et al., 15
Provvidenti, R.: see Kyle, M. M., 595
Pyrek, A.: see Busch-Petersen, E. et al., 38

Qin, J.: see Walker, N. H. et al., 531
Quetier, F.: see Rode, A. et al., 31
Quiros, C. F.; Douches, D.; D'Antonio, V.: Inheritance of annual habit in celery: cosegregation with isozyme and anthocyanin markers 203
Quiros, C. F.; Ochoa, O.; Kianian, S. F.; Douches, D.: Analysis of the *Brassica oleracea* genome by the generation of *B. campestris-oleracea* chromosome addition lines: characterization by isozymes and rDNA genes 758

Raffaldi, F.: see Gavazzi, G. et al., 733
Raja Rao, K. G.: see Aniel Kumar, O. et al., 242
Ralston, E. J.; English, J. J.; Dooner, H. K.: Stability of deletion, insertion and point mutations at the *bronze* locus in maize 471
Rank, G. H.: see Xiao, W. et al., 417
Rao, P. S.: see Gill, R. et al., 100
Rathburn, H.: see Singh, B. B. et al., 168
Reader, S. M.: see Miller, T. E., 214
Rebordinos, L.; Pérez de la Vega, M.: The inheritance of seed peroxidases of wheat and rye: further data 767
Resta, P.: see Blanco, A. et al., 328
Riandey, M. F.: see Tostain, S. et al., 188
Ripfel, J.: see Busch-Petersen, E. et al., 38
Robertson, D.; Palmer, J. D.; Earle, E. D.; Mutschler, M. A.: Analysis of organelle genomes in a somatic hybrid derived from cytoplasmic male-sterile *Brassica oleracea* and atrazine-resistant *B. campestris* 303
Robinson, R.: Mutant gene frequencies in cats of the Greater London Area 579
Rode, A.; Hartmann, C.; Benslimane, A.; Picard, E.; Quetier, F.: Gametoclonal variation detected in the nuclear ribosomal DNA from doubled haploid lines of a spring wheat (*Triticum aestivum* L., cv. 'César') 31
Ron, M.: see Weller, J. I., 549
Roose, M. L.: see Devey, M. E., 162
Rossnagel, B. G.: see Ye, J. M. et al., 426
Rotem-Abarbanell, D.: see Breiman, A. et al., 104
Roth, H.-R.; Dolf, G.; Stranzinger, G.: Gene assignment by means of somatic cell hybrids: a new method for the analysis of data 42
Russell, S. D.: Quantitative cytology of the egg and central cell of *Plumbago zeylanica* and its impact on cytoplasmic inheritance patterns 693
Ryan, S. A.; Larkin, P. J.; Ellison, F. W.: Somaclonal variation in some agronomic and quality characters in wheat 77

Sanchez-Monge, R.; Fernandez, J. A.; Salcedo, G.: Subunits of tetrameric α-amylase inhibitors of *Hordeum chilense* are encoded by genes located in chromosomes $4H^{ch}$ and $7H^{ch}$ 811
Santiago, E.: see Domínguez, A. et al., 409
Sala, F.: see Gavazzi, G. et al., 733
Sala, F.: see Zheng, K. L. et al., 65
Salcedo, G.: see Sanchez-Monge, R. et al., 811
Sardar, A. K.; Mukherjee, K. K.: Inheritance of fruit-coat colours in *Trichosanthes anguina* Linn. (Short communication) 171
Sarkar, K. R.: see Kumar, D., 476
Saul, M. W.: see Imamura, J. et al., 445
Saura, A.: see Lehväslaiho, H. et al., 298
Saxena, P. K.: see Xiao, W. et al., 417
Schaff, D. A.; Milliken, G. A.; Clayberg, C. D.: Computational procedure for a weighted diallel analysis 538
Schlegel, R.; Melz, G.; Nestrowicz, R.: A universal reference karyotype in rye, *Secale cereale* L. 820
Schmidt, G. A.: see Melchinger, A. E. et al., 339
Schoen, D. J.; Cheliak, W. M.: Genetics of the polycross. 2. Male fertility variation in Norway spruce, *Picea abies* (L.) Karst. 554
Sederoff, R. R.: see Gwynn, B. et al., 781
Seitz, G.: see Melchinger, A. E. et al., 339
Shaskin, H.: see Breiman, A. et al., 104
Shepherd, K. W.: see Gupta, R. B., 459
Shimamoto, K.: see Ogura, H. et al., 670
Shun Ficin: see Yan Yongshan et al., 247
Sidorov, V. A.; Zubko, M. K.; Kuchko, A. A.; Komarnitsky, I. K.; Gleba, Y. Y.: Somatic hybridization in potato: use of γ-irradiated protoplasts of *Solanum pinnatisectum* in genetic reconstruction 364
Simeone, R.: see Blanco, A. et al., 328
Simonsen, V.: see Adam, D. et al., 560
Singh, B. B.; Rathburn, H.; Hedgcoth, C.: Isolation of mitochondrial DNA from cytoplasmic male sterile and main-

tainer lines of pearl millet, *Pennisetum americanum* (L.) Leeke(Short communication) 168
Singh, R. J.; Kollipara, K. P.; Hymowitz, T.: Intersubgeneric hybridization of soybeans with a wild perennial species, *Glycine clandestina* Wendl. 391
Smith, J. A.; Desborough, S. L.: The endosperm seed protein Solin: biochemical characterization, induction by ABA and species-specific subunits 739
Smith, M. E.: see Earle, E. D. et al., 601
Soller, M.; Beckmann, J. S.: Cloning quantitative trait loci by insertional mutagenesis 369
Sonnenberg, A. S. M.; Wessels, J. G. H.: Heterokaryon formation in the basidiomycete *Schizophyllum commune* by electrofusion of protoplasts 654
Staub, J. E.: see Globerson, D. et al., 522
Steele, S. H.: see Karp, A. et al., 140
Stranzinger, G.: see Roth, H.-R. et al., 42
Straus, N. A.: see Ko, K. et al., 125
Sutherland, R. A.: see Ockendon, D. J., 566
Suurs, L. C. J. M.: see Uijtewaal, B. A. et al., 451

Takeda, K.; Frey, K. J.: Improving grain yield in backcross populations from *Avena sativa*×*A. sterilis* matings by using independent culling for harvest index and vegetative growth index or unit straw weight 659
Tanno-Suenaga, L.: see Ichikawa, H. et al., 746
Taylor, M. G.; Vasil, I. K.: Analysis of DNA size, content and cell cycle in leaves of Napier grass (*Pennisetum purpureum* Schum.) 681
Thiellement, H.: see Bahrman, N., 218
Thompson, S. A.: see Petolino, J. F., 284
Timothy, D. H.: see Gwynn, B. et al., 781
Todesco, G.: see Gavazzi, G. et al., 733
Tonelli, C.: see Gavazzi, G. et al., 733
Tostain, S.; Riandey, M. F.; Marchais, L.: Enzyme diversity in pearl millet (*Pennisetum glaucum*). 1. West Africa 188
Tyagi, A. P.: Correlation studies on yield and fibre traits in upland cotton (*Gossypium hirsutum* L.) 280
Tyagi, A. P.: see Ombakho, G. A. et al., 817

Uijtewaal, B. A.; Posthumus, E.; Suurs, L. C. J. M.; Jacobsen, E.; Hermsen, J. G. Th.: Relative performance of monohaploid potato clones and their diploid parents at plant level and after protoplast isolation and subsequent fusion 451
Ullrich, S. E.: see Crispi, M. L. et al., 402

Vallega, V.; Waines, J. G.: High molecular weight glutenin subunit variation in *Triticum turgidum* var. *dicoccum* 706
Varner, G. V.: see Kelly, J. D. et al., 516
Vasil, I. K.: see Ozias-Akins, P. et al., 15
Vasil, I. K.: see Taylor, M. G., 681
Vecchio, F.: see Gavazzi, G. et al., 733
Vienne, D. de: see Damerval, C. et al., 194
Virmani, S. S.: see Mignouna, H. et al., 666

Waines, J. G.; Payne, P. I.: Electrophoretic analysis of the high-molecular-weight glutenin subunits of *Triticum monococcum, T. urartu,* and the A genome of bread wheat (*T. aestivum*) 71
Waines, J. G.: see Vallega, V., 706
Wakasa, K.; Widholm, J. M.: A 5-methyltryptophan resistant rice mutant, MTR1, selected in tissue culture 49
Walker, N. H.; Qin, J.; Abbott, A. G.: Northern hybridization analysis of mitochondrial gene expression in maize cytoplasm with varied nuclear backgrounds 531
Warner, R. L.; Narayanan, K. R.; Kleinhofs, A.: Inheritance and expression of NAD(P)H nitrate reductase in barley 714
Weller, J. I.; Ron, M.: A note on the effect of observations with missing data on genetic correlation estimates 549
Wenzel, G.: see Chawla, H. S., 841
Wersuhn, G.; Kirsch, K.; Gienapp, R.: Herbicide tolerant regenerates of potato 480
Wessels, J. G. H.: see Sonnenberg, A. S. M., 654
Westhuizen, M. S. S. van der: see Marais, G. F., 503
Widholm, J. M.: see Wakasa, K., 49
Wu, Q. S.: see Karp, A. et al., 140
Wyn Jones, R. G.: see Gorham, J. et al., 584

Xiao, W.; Saxena, P. K.; King, J.; Rank, G. H.: A transient duplication of the acetolactate synthase gene in a cell culture of *Datura innoxia* 417

Yan Yongshan; Cai Hongying; Shun Ficin: Sister chromatid exchange in vivo, chromosomal characterization and NORs activity of leukemia cells during 5FU-treatments 247
Yan Yongshan; Fen Shang; Liu Lianrui: A cytogenetic characterization comparing a rat 6TG-resistant strain and 6TG-sensitive clones 147
Ye, J. M.; Kao, K. N.; Harvey, B. L.; Rossnagel, B. G.: Screening salt-tolerant barley genotypes via F_1 anther culture in salt stress media 426

Zamir, D.; Gadish, I.: Pollen selection for low temperature adaptation in tomato 545
Zeller, F. J.: see Friebe, B. et al., 423
Zheng, K. L.; Castiglione, S.; Biasini, M. G.; Biroli, A.; Morandi, C.; Sala, F.: Nuclear DNA amplification in cultured cells of *Oryza sativa* L. 65
Zivy, M.: Genetic variability for heat shock proteins in common wheat 209
Zubko, M. K.: see Sidorov, V. A. et al., 364

Errata 176, 680

Book reviews 173–176, 287, 288, 414–416, 542–544, 677–679, 852

Announcements 176, 679

Indexed in *Current Contents*

Acknowledgements

The editors wish to thank the following external referees for their assistance in selection and evaluation of manuscripts submitted

W. D. Beavis (Iowa)
L. S. Bird (Texas)
D. D. Baltensperger (Florida)
M. Bolik (Grünbach, FRG)
E. Braford (California)
T. Butterfaß (Frankfurt, FRG)
I. T. Carlson (Iowa)
H. S. Chawla (Pantnagar, India)
W. A. Compton (North Dakota)
S. Cox (Kansas)
H. Z. Cross (North Dakota)
S. Deimling (Grünbach, FRG)
H. Dooner (California)
D. Dudits (Szeged, Hungary)
P. D. East (Armidale, Australia)
K. M. El-Zik (Texas)
L. Ferenczy (Szeged, Hungary)
G. Fischbeck (Weihenstephan, FRG)
R. B. Flavell (Cambridge, UK)
B. Foroughi-Wehr (Grünbach, FRG)
M. Gale (Cambridge, UK)
H. H. Geiger (Hohenheim, FRG)
K. F. Grafton (North Dakota)
E. T. Gritton (Wisconsin)
W. R. Harvey (Ohio)
P. W. Hedrick (Kansas)
W. D. Hohenboken (Oregon)
L. E. Joppa (North Dakota)
R. Jorgensen (Oakland)
J. S. Kahn (North Carolina)
R. P. Kauschik (Himachal Pradesh, India)
B. P. Kinghorn (NSW, Australia)
K. R. Lamkey (Iowa)
V. Lind (Grünbach, FRG)
C. L. Market (North Carolina)
J. Martin (Montana)
J. A. McKenzie (Melbourne, Australia)
A. E. Melchinger (Hohenheim, FRG)
R. R. Mill (Pennsylvania)
C. Möllers (Grünbach, FRG)
R. F. Mumm (Nebrasca)
D. L. Mulcahy (Massachusetts)
P. Murphy (North Carolina)
R. Nehls (Einbeck, FRG)
O. E. Nelson (Wisconsin)
M. K. Nielson (Nebraska)
D. Notter (Virginia)
W. E. Nyquist (Indiana)
J. Palmer (Michigan)
P. I. Payne (Cambridge, UK)
F. Pirchner (Weihenstephan, FRG)
E. J. Pollack (New York)
H. S. Pooni (Birmingham, UK)
D. R. Pring (Florida)
K. Searcy (Massachusetts)
P. Sharp (Cambridge, UK)
P. B. Siegal (Virginia)
C. R. Somerville (Michigan)
A. Van Sanford (Kentucky)
M. W. Tess (North Carolina)
D. H. Timothy (North Carolina)
H. Uhrig (Köln, FRG)
S. S. Virmani (Manila, Philippines)
H. Walther (Grünbach, FRG)
R. S. Williams (North Carolina)
J. F. Zeller (Weihenstephan, FRG)

as well as the assistance of Mrs. Ann Jenks-Coupland and Mrs. Lesly Gardiner at the editorial offices